

## References for *Proton Pump Inhibitor (PPI) Risks: What the Doctors Don't Tell You*

- 1 Raghunath AS, O'Morain C, McLaughlin RC. The long-term use of proton pump inhibitors. *Aliment Pharmacol Ther* 2005; 22(Suppl 1):55–63.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P17](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P17)> | View Full Text<<http://content.wkhealth.com/linkback/etoc/pt/fulltext.00013050-200508001-00008.htm>> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/16042660>> | CrossRef<<http://dx.doi.org/10.1111%2Fj.1365-2036.2005.02611.x>>
- 2• Ali T, Roberts DN, Tierney WM. Long-term safety concerns with proton pump inhibitors. *Am J Med* 2009; 122:896–903.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P17](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P17)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19786155>> | CrossRef<<http://dx.doi.org/10.1016%2Fj.amjmed.2009.04.014>>
- 3• Lodato F, Azzaroli F, Turco L, Mazella N, et al. Adverse effects of proton pump inhibitors. *Best Prac Res Clin Gastroenterol* 2010; 24:193–201. An important source of references.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P17](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P17)>
- 4• Thompson ABR, Sauve MD, Kassam N, Kamitakahara H. Safety of the long-term use of proton pump inhibitors. *World J Gastroenterol* 2010; 16:2323–2330.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P17](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P17)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20480516>> | CrossRef<<http://dx.doi.org/10.3748%2Fwjg.v16.i19.2323>>
- 5 Yang YX, Lewis JD, Epstein S, Metz DC, et al. Long-term proton pump inhibitor therapy and the risk of hip fracture. *JAMA* 2006; 296:2947–2953.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/17190895>> | CrossRef<<http://dx.doi.org/10.1001%2Fjama.296.24.2947>>
- 6 Vestergaard P, Rejnmark L, Mosekilde L. Proton pump inhibitors, histamine H2 receptor antagonists, and other antacid medications and the risk of fracture. *Calcif Tissue Int* 2006; 79:76–83.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/16927047>> | CrossRef<<http://dx.doi.org/10.1007%2Fs00223-006-0021-7>>
- 7 Targownik LE, Lix LM, Metge CJ, Prior HJ, et al. Use of proton pump inhibitors and risk of osteoporotic fractures. *CMAJ* 2008; 179:319–326.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/18695179>> | CrossRef<<http://dx.doi.org/10.1503%2Fcmaj.071330>>
- 8 Gray SL, LaCroix AZ, Larso J, Robbins J, et al. Proton pump inhibitor use, hip fracture, and change in bone mineral density in postmenopausal women. *Arch Int Med* 2010; 170:765–771.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20458083>> | CrossRef<<http://dx.doi.org/10.1001%2Farchinternmed.2010.94>>
- 9• Targownik LE, Lix LM, Leung S, Leslie WD. Proton pump inhibitor use is not associated with osteoporosis or accelerated bone mineral density loss. *Gastroenterology* 2010; 138:896–904.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19931262>> | CrossRef<<http://dx.doi.org/10.1053%2Fj.gastro.2009.11.014>>
- 10 Merriman NA, Putt ME, Metz DC, Yang YX. Hip fracture risk in patients with a diagnosis of Pernicious Anemia. *Gastroenterology* 2010; 138:1330–1337.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P20](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P20)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20026065>> | CrossRef<<http://dx.doi.org/10.1053%2Fj.gastro.2009.12.007>>

11 Kaye JA, Jick H. Proton pump inhibitor use and risk of hip fractures in patients without major risk factors. *Pharmacotherapy* 2008; 28:951–959.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P21](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P21)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/18657011>> | CrossRef<<http://dx.doi.org/10.1592%2Fphco.28.8.951>>

12•• Corley DA, Kubo A, Zhao W, Quesenberry C. Proton pump inhibitors and Histamine-2 receptor antagonists are associated with hip fractures among at-risk patients. *Gastroenterology* 2010; 139:93–101.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P21](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P21)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20353792>> | CrossRef<<http://dx.doi.org/10.1053%2Fj.gastro.2010.03.055>>

13 Larner AJ, Hamilton MIR. Review article: infective complications of therapeutic gastric acid inhibition. *Aliment Pharmacol Ther* 1994; 8:579–584.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P26](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P26)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/7696445>> | CrossRef<<http://dx.doi.org/10.1111%2Fj.1365-2036.1994.tb00333.x>>

14•• Dial MS. Proton pump inhibitor use and enteric infections. *Am J Gastroenterol* 2009; 104(S2):S10–S16.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P27](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P27)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19262540>> | CrossRef<<http://dx.doi.org/10.1038%2Fajg.2009.46>>

15 Sonnenberg A. Temporal trends and geographical variations of peptic ulcer disease. *Aliment Pharmacol Ther* 1995; 9(Suppl 2):3–12.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P27](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P27)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/8547525>>

16 Leonard J, Marshall JK, Moayyedi P. Systematic review of the risk of enteric infection in patients taking acid suppression. *Am J Gastroenterol* 2007; 102:2047–2056.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P29](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P29)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/17509031>> | CrossRef<<http://dx.doi.org/10.1111%2Fj.1572-0241.2007.01275.x>>

17 Howell MD, Novack V, Grgurich P, Souillard D, et al. Iatrogenic gastric acid suppression and the risk of nosocomial *Clostridium difficile* infection. *Arch Int Med* 2010; 170:784–790.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P29](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P29)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20458086>> | CrossRef<<http://dx.doi.org/10.1001%2Farchinternmed.2010.89>>

18 Linsky A, Gupta K, Lawler E, Fonda J, et al. Proton pump inhibitors and risk for recurrent *Clostridium difficile* infection. *Arch Int Med* 2010; 170:772–778.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P29](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P29)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20458084>> | CrossRef<<http://dx.doi.org/10.1001%2Farchinternmed.2010.73>>

19 Sultan N, Nazareno J, Gregor J. Association between proton pump inhibitors and respiratory infections: a systematic review and meta-analysis of clinical trials. *Can J Gastroenterol* 2008; 22:761–766.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P33](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P33)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/18818790>>

20 Murray LJ, Gabello M, Rudolph DS, Farrell CP, et al. Transmucosal gastric leak induced by proton pump inhibitors. *Dig Dis Sci* 2009; 54:1408–1417.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P33](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P33)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19015985>> | CrossRef<<http://dx.doi.org/10.1007%2Fs10620-008-0528-z>>

21 Lombardo L, Foti M, Ruggia O, Chiecchio A. Increased incidence of small intestinal bacterial overgrowth during proton pump inhibitor therapy. *Clin Gastroenterol Hepatol* 2010; 8:504–508.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P35](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P35)>

- 22 Bajaj JS, Zadornova Y, Heuman DM, Hafeezullah M, et al. Association of proton pump inhibitor therapy with spontaneous bacterial peritonitis in cirrhotic patients with ascites. *Am J Gastroenterol* 2009; 104:1130–1134.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P39](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P39)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19337238>> | CrossRef<<http://dx.doi.org/10.1038%2Fajg.2009.80>>
- 23 McColl KEL. Effect of proton pump inhibitors on vitamins and iron. *Am J Gastroenterol* 2009; 104:S3–S9.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P43](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P43)>
- 24•• Waldum HL, Qvigstad G, Fossmark R, et al. Rebound hypersecretion of acid from a physiological, pathophysiological and clinical point of view. *Scand J Gastroenterol* 2010; 45:389–394.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P47](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P47)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20001749>>
- 25•• Reimer C, Sondergard B, Hilsted L, Bytzer P. Proton-pump inhibitor therapy induces acid related symptoms in healthy volunteers after withdrawal of therapy. *Gastroenterology* 2009; 137:80–87.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P47](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P47)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19362552>> | CrossRef<<http://dx.doi.org/10.1053%2Fj.gastro.2009.03.058>>
- 26• Sanaka M, Yamamoto T, Kuyama Y. Effects of proton pump inhibitors on gastric emptying: a systematic review. *Dig Dis Sci* 2010; 55:2431–2440.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P50](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P50)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20012198>> | CrossRef<<http://dx.doi.org/10.1007%2Fs10620-009-1076-x>>
- 27 Kuipers EJ. Proton pump inhibitors and gastric neoplasia. *Gut* 2006; 55:1217–1221.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P52](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P52)> | View Full Text<<http://content.wkhealth.com/linkback/etoc/pt/fulltext.00003970-200609000-00002.htm>> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/16905689>> | CrossRef<<http://dx.doi.org/10.1136%2Fgut.2005.090514>>
- 28 Kuipers EJ. Barrett's esophagus, proton pump inhibitors and gastrin: the fog is clearing. *Gut* 2010; 59:148–149.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P53](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P53)> | View Full Text<<http://content.wkhealth.com/linkback/etoc/pt/fulltext.00003970-201002000-00003.htm>> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20176635>> | CrossRef<<http://dx.doi.org/10.1136%2Fgut.2009.191403>>
- 29 Wang JS, Varro A, Lightdale CJ, Lerkowit N, et al. Elevated serum gastrin is associated with a history of advanced neoplasia in Barrett's esophagus. *Am J Gastroenterol* 2010; 105:1039–1045.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P53](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P53)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19904251>> | CrossRef<<http://dx.doi.org/10.1038%2Fajg.2009.629>>
- 30 Modlin IM, Lye KD, Kidd M. A 5-decade analysis of 13,715 carcinoid tumors. *Cancer* 2003; 97:934–959.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P56](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P56)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/12569593>> | CrossRef<<http://dx.doi.org/10.1002%2Fncr.11105>>
- 31 Modlin IM, Lye KD, Kidd M. A 50-year analysis of 562 gastric carcinoids: small tumor or larger problem? *Am J Gastroenterol* 2004; 99:23–32.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P56](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P56)>
- 32 Hodgson N, Koniaris LG, Livingstone AS, Franceschi D. Gastric carcinoids: a temporal increase with proton pump inhibitor introduction. *Surg Endosc* 2005; 19:1610–1612.  
Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_.15.aspx#P57](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_.15.aspx#P57)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/16211437>>
- 33 Waldum H, Gustafsson B, Fossmark R, Qvigstad G. Antiulcer drugs and gastric cancer. *Dig Dis Sci* 2005; 50:S39–S44.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P57](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P57)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/16184420>> | CrossRef<<http://dx.doi.org/10.1007%2Fs10620-005-2805-4>>

34 Merwat SN, Spechler SJ. Might the use of acid-suppressive medications predispose to the development of eosinophilic esophagitis? *Am J Gastroenterol* 2009; 104:1897–1902.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P59](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P59)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19661930>> | CrossRef<<http://dx.doi.org/10.1038%2Fajg.2009.87>>

35 Sachmechu I, Reich DM, Wibowo AM, et al. Effect of proton pump inhibitors on serum thyroid-stimulating hormone level in euthyroid patients treated with levothyroxine for hypothyroidism. *Endocr Pract* 2007; 13:345–349.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P61](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P61)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/17669709>>

36• Mega JL, Close SL, Wiviott SD, Shen L, et al. Cytochrome P-450 polymorphisms and response to clopidogrel. *N Engl J Med* 2009; 360:354–362.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P62](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P62)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/19106084>> | CrossRef<<http://dx.doi.org/10.1056%2FNEJMoa0809171>>

37 Chaudry AS, Kocchar R, Kohli KK. Genetic polymorphism of CYP2C19 and therapeutic response to proton pump inhibitors. *Ind J Med Res* 2008; 127:521–530.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P62](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P62)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/18765869>>

38• Klotz U. Impact of CYP2C19 polymorphisms on the clinical action of proton pump inhibitors (PPIs). *Euro J Clin Pharmacol* 2009; 65:1–2. A good discussion of the relevance of genetic polymorphisms to the clinical effects of PPIs.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P62](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P62)>

39 Alkhatib AA, Elkhatib FA, Khatib OF. Gastric acid-reducing medications and clopidogrel: what are the latest FDA recommendations? *Am J Gastroenterol* 2010; 105:1211.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P63](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P63)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20445525>> | CrossRef<<http://dx.doi.org/10.1038%2Fajg.2009.722>>

40 Ray WA, Murray KT, Griffin MR, Chung CP, et al. Outcomes with concurrent use of clopidogrel and proton pump inhibitors. *Ann Int Med* 2010; 152:337–345.

Cited Here...<[http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse\\_effects\\_of\\_proton\\_pump\\_inhibitor\\_drugs\\_15.aspx#P63](http://journals.lww.com/co-gastroenterology/Fulltext/2010/11000/Adverse_effects_of_proton_pump_inhibitor_drugs_15.aspx#P63)> | PubMed<<http://www.ncbi.nlm.nih.gov/pubmed/20231564>>